
MOBILE TROMMEL SCREENER FTS1230




SCOPE OF APPLICATION

The firewood trommel is designed as an add on to a bulk processing system. Cleaning the wood in the last step before packaging for bulk retail sale. The Trommel will efficiently remove all fines (dirt, gravel, wood chips & splinters) through the fine screen and most of the kindling and smaller pieces of wood through the coarse screen.

With a constantly loaded in feed hopper, the capacity of this machine is estimated in excess of 60m3 per hour.

ADVANTAGES

- Quick change system for the sieve insert, optionally drum or star screen insert.
- Large 3.5m³ feed hopper with a loading height of just 1.8m
- 5m long discharge belts with 2.13m delivery height
- Electronic load control for a perfect screening result optimal through put
- Perfect mobility thanks to compact transport dimensions












HENAN SENKE EQUIPMENT CO.,LTD | BUILDING 8, NO. 221 LIANHUA STREET , ZHENGZHOU CITY, HENAN PROVINCE,CHINA
Tel: +86 18039510646 | Mob/Whatsapp: +86 17324836597 | mia.zou@senkecorp.com | https://cnsenke.en.alibaba.com








FTS1230 Specifications

Dimensions		**Trommel**	
A Operating Length	36' 7" (1115cm)	Trommel Diameter	3' 10" (120 cm)
B Operating Height	7' 8" (235cm)	Screening Area	121.63ft² (11.3 m²)
C Travel Length	19' 2" (585 cm)	Discharge Conveyor	
D Travel Height	8' 6" (280cm)	Conveyor Length	16'4" (500cm)
E Travel Width	6' 9" (206 cm)	Conveyor Width	2' 2" (65cm)
F Trommel Length	9' 10" (300 cm)	Conveyor Angle	18 degrees
G Hopper Length	7' 10" (240 cm)	Screen (standard)	
H Fines Conveyor Height	6' 11" (211 cm)	Screen size	40mm
Weight		Screen thickness	4mm
Machine Weight Approx: 1790KG(Standard)		**Production**	
Power train		Screening Performance	78 yd³ (60 m³) per hour
Horsepower	22hp (16 kW)	Actual output may vary due to moisture content, material density, material size, and support equipment	
Feed System			
Hopper Capacity	5.8 yd³ (4.5 m3)		
Hopper Width	4' 11" (150cm)		
Brand		Kohler gasoline engine	
Specifications subject to change without notice			

HENAN SENKE EQUIPMENT CO.,LTD | BUILDING 8, NO. 221 LIANHUA STREET , ZHENGZHOU CITY, HENAN PROVINCE,CHINA
Tel: +86 18039510646 | Mob/Whatsapp: +86 17324836597 | mia.zou@senkecorp.com | https://cnsenke.en.alibaba.com


Mobile Trommel GTS1230
Zhengzhou Sinoton Machinery Co.Ltd





HENAN SENKE EQUIPMENT CO.,LTD | BUILDING 8, NO. 221 LIANHUA STREET , ZHENGZHOU CITY, HENAN PROVINCE,CHINA
Tel: +86 18039510646 | Mob/Whatsapp: +86 17324836597 | mia.zou@senkecorp.com | https://cnsenke.en.alibaba.com





HENAN SENKE EQUIPMENT CO.,LTD | BUILDING 8, NO. 221 LIANHUA STREET , ZHENGZHOU CITY, HENAN PROVINCE,CHINA
Tel: +86 18039510646 | Mob/Whatsapp: +86 17324836597 | mia.zou@senkecorp.com | https://cnsenke.en.alibaba.com





HENAN SENKE EQUIPMENT CO.,LTD | BUILDING 8, NO. 221 LIANHUA STREET , ZHENGZHOU CITY, HENAN PROVINCE,CHINA
Tel: +86 18039510646 | Mob/Whatsapp: +86 17324836597 | mia.zou@senkecorp.com | https://cnsenke.en.alibaba.com